


Piastra Sagomata



Piastra Piana








Plate Lacing




2X2



4X4



6X6



8X8

OUR CODE	Pitch	Width Between Inner Plates	Pin Length	Pin Ø	Shoulder Pin Ø	Plate Depth	Plate Lacing	Plate Thickness	Average Breaking Load	Weight Per Meter
	p	b1	L1	d1	d3	g		s	Q	
	mm	mm	mm	mm	mm	mm		mm	kg	
CG20	20,00	15,00	28,00	6,00	8,00	15,00	2 x 2	2,00	2.500	1,10
CG25	25,00	18,00	36,00	8,00	10,00	20,00	2 x 2	3,00	4.500	1,80
CG30	30,00	20,00	51,00	9,00	11,00	20,00	4 x 4	3,00	10.000	3,40
CG35	35,00	22,00	54,00	10,00	12,00	25,00	4 x 4	3,00	14.000	4,50
CG40	40,00	25,00	58,00	12,00	14,00	30,00	4 x 4	3,00	17.000	5,00
CG45	45,00	30,00	63,00	14,00	17,00	35,00	4 x 4	3,00	20.000	6,40
CG50	50,00	35,00	85,00	18,00	22,00	38,00	4 x 4	5,00	28.000	11,30
CG55	55,00	40,00	106,00	21,00	24,00	40,00	4 x 4	6,00	36.000	14,50
CG60	60,00	45,00	110,00	23,00	26,00	45,00	4 x 4	6,00	42.000	17,10
CG70	70,00	50,00	142,00	28,00	32,00	55,00	6 x 6	6,00	77.000	34,00
CG80	80,00	60,00	152,00	32,00	36,00	60,00	6 x 6	6,00	80.000	38,00
CG90	90,00	70,00	170,00	36,00	40,00	70,00	6 x 6	7,00	110.000	53,00
CG100	100,00	80,00	220,00	40,00	45,00	80,00	8 x 8	7,00	180.000	77,00